

The L^AT_EX document preparation system

Dr Engelbert Buxbaum

Department of Biochemistry, RUSM

July 2008



Introduction

Structure of a L^AT_EX
document

Basic commands

Structuring text

Maths

Changing the layout

Specialties

The departmental
handout

Name of the game

$\text{T}_{\text{E}}\text{X}$ typesetting system developed by Donald E. Knuth (Stanford University) to create beautiful documents, especially those containing maths. $\text{T}_{\text{E}}\text{X}$ is free software with copyright vested in the American Mathematical Society.

$\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ $\text{T}_{\text{E}}\text{X}$ -macroprocessor written by Leslie Lamport, which implements a markup-language. Users can concentrate on the structure of their document rather than on formatting.

Typographic design

The \LaTeX document preparation system

Dr Engelbert
Buxbaum

Introduction

Advantages and disadvantages
Resources

Structure of a \LaTeX document

Basic commands

Structuring text

Maths

Changing the layout

Specialties

The departmental
handout

- ▶ craft that needs to be learned
- ▶ not about esthetics but about function: Books are read, not displayed in a museum

Advantages

- ▶ Several professional styles are available that make documents look “like printed”. Changing style requires changing one single line in the document, consistency is ensured.
- ▶ High quality math typesetting
- ▶ Only a few commands to define the structure of text, no knowledge of typography or book design required.
- ▶ Complex scientific documents can be created automatically:
 - ▶ bibliography
 - ▶ index
 - ▶ crossreferences
 - ▶ table of contents, lists of figures, tables etc.
 - ▶ ...
- ▶ Operating-system independent
- ▶ Long-term storage of documents: ASCII rather than binary
- ▶ Free software with source code available: Errors are corrected rapidly

Disadvantages

- ▶ Learning curve
- ▶ Major changes in layout may require rewriting the style file (blessing in disguise)
- ▶ One gets an eye for all the bad documents out there

Resources

Software CTAN, i.e. www.tug.org for the US

Help Usenet: comp.text.tex

Introduction l2short available in various languages

Literature The \LaTeX -companion (Mittelbach *et al*, 2004)

Symbols Comprehensive symbol list from CTAN

Boxes and glue

- ▶ Box (letter) + Glue (space) + Box + ... = larger Box (word)
- ▶ Words are treated as boxes to form lines, lines paragraphs and paragraphs pages
- ▶ Glue can shrink and expand within limits

Structure of a \LaTeX -document

```
% -*- TeX:US -*-  
\NeedsTeXFormat{LaTeX2e}  
\documentclass[options]{style}  
  
\usepackage[latin1]{inputenc}  
\usepackage[T1]{fontenc}  
  
\author{}  
\title{}  
\date{}  
  
\begin{document}  
\maketitle  
  
\chapter{}  
...  
\end{document}
```

```
% for text-editor  
% for TeX-system
```


Document classes

\LaTeX	Koma-Script	purpose
article	scrartcl	journal papers, short reports
report	scrreprt	longer text with several chapters, e.g. thesis
book	scrbook	books
letter	scrlettr	letters
beamer		slide presentations
sciposter		conference posters

Apart from Koma-Script another alternative style package is **memoir**. Also publisher-specific styles (e.g. Springer, Elsevier, Teubner etc.

Class options

Font size 10pt | 11pt | 12pt...

Paper size a4paper | legalpaper...

equations fleqn, leqno

title titlepage | notitlepage

columns onecolumn | twocolumn

printing oneside | twoside

Input characters

Some characters have special meaning in T_EX, if you need them they have to be entered as T_EX-commands:

<code>\</code>	start command	<code>\backslash</code>
		note: <code>\\</code> = newline
<code>\$</code>	toggle math modus	<code>\\$</code>
<code>&</code>	tabulator	<code>\&</code>
<code>%</code>	rest of line comment	<code>\%</code>
<code>#</code>		<code>\#</code>
<code>~</code>		<code>\textasciitilde</code>
<code> </code>	vert. lines in table	<code>\textbar</code>
<code>_</code>	start subscript	<code>_</code>
<code>^</code>	start superscript	<code>\textasciicircum</code>
<code>{ }</code>	command delimiter	<code>\{ \}</code>
<code>[]</code>	command delimiter	<code>[\$]\$</code>
<code>" "</code>	quotation marks	<code>'' ''</code>
<code>><</code>	tabbing	<code>\$> <\$</code>

Hyphen, minus ...

A horizontal line can mean a lot of things, depending on length and thickness:

O-legs	0-legs
10–18 o'clock	10--18 o'clock
ja – oder nein?	ja -- oder nein?
yes—or no?	yes---or no?
0, 1 and –1	0, 1 and --1

Sectioning commands

- ▶ `\part{}`
- ▶ `\chapter{}`
- ▶ `\section{}`
- ▶ `\subsection{}`
- ▶ `\subsubsection{}`
- ▶ `\paragraph{}`

Breaking down large documents

The \LaTeX document preparation system

Dr Engelbert Buxbaum

Introduction

Structure of a \LaTeX document

Basic commands

Structuring text

Sectioning

Fonts

Lists

Tables and stuff

Graphics

Maths

Changing the layout

Specialties

The departmental
handout

Use separate files for, say, each chapter. One main file with `limbo` and commands to include the others:

`\input{}` reads file “as is”

`\include{}` equiv. to `\clearpage \input{}` `\clearpage`

`\includeonly{}` used in `limbo` to limit files `\included`

What is where?

- ▶ `\tableofcontents`
- ▶ `\listoffigures`
- ▶ `\listoftables`
- ▶
- ▶ `\bibliographystyle{plainnat}`
- ▶ `\bibliography{references}`
- ▶
- ▶ `\printindex`

Emphasizing

`\textit{}` italics, used for foreign words, species names etc: *Staph. aureus*

`\textsl{}` *slanted*

`\emph{}` used for emphasizing: this is *not* the case

`\textsc{}` small caps, used for names of persons: Neil Armstrong was the first man on the moon.

`\textbf{}` bold face: used to make something really **stick out**.

`\textsf{}` sans serif, often used as base font on slides. Also used for chemical equations.

`\texttt{}` typewriter, used for computer related material like code or URLs:
`http://www.rossmed.edu.dm/`

Note: Slides use sanserif font: No small caps, slanted instead of italics!

Font sizes

<code>\tiny</code>	microscopic font
<code>\scriptsize</code>	very tiny font (subscripts)
<code>\footnotesize</code>	tiny font (footnotes)
<code>\small</code>	small font
<code>\normalsize</code>	normal font
<code>\large</code>	large font
<code>\Large</code>	larger font
<code>\LARGE</code>	very large font
<code>\huge</code>	huge font
<code>\Huge</code>	very huge font

Note: **not** a command: `{\small foo bar}`

Simple lists

Please believe me:

- ▶ Few swallows can turn winter into summer.
- ▶ Inside it's colder than in the night.
 - ▶ In the morning it pulls.
 - ▶ At noon he pushes.
 - ▶ In the evening she goes.
- ▶ Every nonsense must find an end.

Please believe me:

```
\begin{itemize}
  \item{Few swallows can turn winter into summer.}
  \item{Inside it's colder than in the night.
    \begin{itemize}
      \item{In the morning it pulls.}
      \item{At noon he pushes.}
      \item{In the evening she goes.}
    \end{itemize} }
  \item{Every nonsense must find an end.}
\end{itemize}
```

Descriptive lists

Three animals you should know about are:

gnat: A small animal, found in the North Woods, that causes no end of trouble.

gnu: A large animal, found in crossword puzzles, that causes no end of trouble.

armadillo: A medium-sized animal, named after a medium-sized Texas city which causes no end of trouble.

```
\begin{description}
  \item[gnat:]{A small animal, found in the North
    Woods, that causes no end of trouble.}
  \item[gnu:]{A large animal, found in crossword
    puzzles, that causes no end of trouble.}
  \item[armadillo:]{A medium-sized animal, named
    after a medium-sized Texas city which causes
    no end of trouble.}
\end{description}
```

Enumerated lists

These are the main points:

1. first item
2. second item
3. third item
 - 3.1 first sub-item
 - 3.2 second sub-item

These are the main points:

```
\begin{enumerate}
  \item{first item}
  \item{second item}
  \item{third item
    \begin{enumerate}
      \item{first sub-item}
      \item{second sub-item}
    \end{enumerate} }
\end{enumerate}
```

Tabbing

If it's raining
then put on boots,
take hat;
else smile.
Leave house.

```
\begin{tabbing}
  If \= it's raining           \\
    \> then \= put on boots,  \\
    \>         \> take hat;   \\
    \> else \> smile.         \\
  Leave house.
\end{tabbing}
```

GG&A Hoofed Stock

Year	Price	Comments
1971	97-245	Bad year for farmers in the west.
72	245-245	Light trading due to a heavy winter.
73	245-2001	No gnus was very good gnus this year.

Introduction

Structure of a L^AT_EX document

Basic commands

Structuring text

Sectioning

Fonts

Lists

Tables and stuff

Graphics

Maths

Changing the layout

Specialties

The departmental

handout

```


\begin{tabular}{|r||c|p{2.5in}|}
\hline
\multicolumn{3}{|c|}{\sc GG\&A Hoofed Stock} \\
\hline
\hline
\multicolumn{1}{|c|}{\bf Year} & \bf Price & \multicolumn{1}{c|}{\bf Comment} \\
\hline
1971 & 97--245 & Bad year for farmers in the west. \\
\hline
72 & 245--245 & Light trading due to a heavy winter. \\
\hline
73 & 245--2001 & No gnus was very good gnus this year. \\
\hline
\end{tabular}

```

Table (a float: not used on slides)

```
\begin{table}
  \caption{The fastest man in the world:
    Some of his possibilities}
  \label{tab:fast}
  \centering
  \begin{tabular}{|l|c|r|}
    \hline
    Disciplin & distance (m) & time (min) \\
    \hline
    Running & 100 & 5 \\
    Swimming & 50 & 30 \\
    Cycling & 1000 & 20 \\
    \hline
  \end{tabular}
\end{table}
```

In the text the table can be referenced with: see table `\ref{tab:fast}` on page `\pageref{tab:fast}`.



```
\includegraphics[height=0.3\textheight]{Graphics/Campus3}
```

- ▶ Requires `\usepackage{graphicx}`
- ▶ Several file formats possible depending on dvi-driver. For pdfLaTeX pdf, png, jpg.
- ▶ Convert other formats e.g. with IrfanView or Gimp.
- ▶ other optional arguments like width, angle, size

Figures

```
\begin{figure}
  \caption{A view of our campus. }
  \label{fig:Campus}
  \centering
  \includegraphics[height=0.3\textheight]{Graphics/Campus3}
\end{figure}
```

Like table, figure is a floating environment that has no meaning in slides. Cross-referencing works as with tables.

if a and b are legs of a right-angled triangle and c the hypotenuse, then $c^2 = a^2 + b^2$ (Theorem of Pythagoras).

if a and b are legs of a right-angled triangle and c the hypotenuse, then $c^2 = a^2 + b^2$ (Theorem of Pythagoras).

Display maths

if a and b are legs of a right-angled triangle and c the hypotenuse, then

$$c^2 = a^2 + b^2 \tag{1}$$

(Theorem of Pythagoras).

if a and b are legs of a right-angled triangle and c the hypotenuse, then

```
\begin{equation}
  c^2=a^2+b^2
```

```
\end{equation}
```

(Theorem of Pythagoras).

Formulas

$$x^5 \quad x_1 \quad \sqrt{x^2 + \sqrt[3]{y}}$$

`x^5` `x_1` `\sqrt{x^2+\sqrt[3]{y}}`

$$\frac{1}{\frac{x^2+y^2+z^2}{x+y}} \quad \binom{n}{n-k}$$

`\frac{1}{\frac{x^2+y^2+z^2}{x+y}}` `{n\choose n-k}`

$$\int_{-\infty}^{\infty} x^3 \quad \sum_{i=1}^n a_i$$

`\int \limits_{-\infty}^{\infty} x^3` `\sum_{i=1}^n a_i`

Aligning equations

$$f(x) = \cos x \quad (2)$$

$$f'(x) = -\sin x \quad (3)$$

$$\int_0^x f(y)dy = \sin x \quad (4)$$

```
\begin{align}
  f(x)          &= \cos x \\
  f'(x)         &= -\sin x \\
  \int_{0}^{x} f(y)dy &= \sin x \\
\end{align}
```

Internal Counter + parameters

Change parameters:

```
\setlength{\parindent}{0pt}
\setlength{\parskip}{5pt plus 2pt minus 1pt}
\addtolength{\textwidth}{60pt}
```

Set counters:

```
\setcounter{page}{0}
\addtocounter{page}{10}
```

Output counter content: This is page 30.

```
This is page \thepage .
```

Horizontal distance

Here we have `\hspace{2cm}` 2 cm distance.

Here we have `\hspace{2cm}` `\SI{2}{cm}` distance.

left

right

`\left\hfill` right

<code>\,</code>	very small distance
<code>\enspace</code>	as wide as a number
<code>\quad</code>	as wide as a letter is high
<code>\qquad</code>	twice as wide as <code>\quad</code>
<code>\hfill</code>	a distance that can expand from 0 to ∞

Vertical distance

Here

is 2 cm distance.

Here

```
\vspace{2cm}
```

is `\SI{2}{cm}` distance.

<code>\smallskip</code>	about 1/4 line
<code>\medskip</code>	about 1/2 line
<code>\bigskip</code>	about 1 line
<code>\vfill</code>	distance that can expand from 0 to ∞

Centering text

In
the
middle I don't
feel
so marginalized

```
\begin{center}  
  In\  
  the\  
  middle I don't\  
  feel\  
  so marginalized\  
\end{center}
```

Flushright text

This is not a political statement

```
\begin{flushright}
  This is not a political statement
\end{flushright}
```

Indexing commands

simple `gnat\index{gnat}`

subtopics `gnat\index{gnat!size of}`

page range `\index{gnat|({}...\index{gnat|)}`

reference `\index{gnat|see{mosquito}}`

font `gnat\index{gnat@\textit{gnat}}`

After first \LaTeX run, start `makeindx` to sort the index.

Assume the following list of acronyms:

```
\begin{acronym}
  \acro{nfkb}[NF- $\kappa$ B]{nuclear factor
     $\kappa$ B}, protein in gene regulation
\end{acronym}
```

This will print as

NF- κ B: nuclear factor κ B, protein in gene regulation

Then

`\acf{nfkb}` nuclear factor κ B (NF- κ B)

`\acs{nfkb}` NF- κ B

`\acl{nfkb}` nuclear factor κ B

BibTeX

Database for literature references in ASCII-format. Can be produced from many programs like EndNote, also from PubMed etc.

```
@article{Alb-76,  
  AUTHOR= {W.J. Albery and J.R. Knowles},  
  TITLE= {Evolution of enzyme function and the  
    development of catalytic efficiency},  
  JOURNAL= {Biochemistry},  
  VOLUME= {15},  
  YEAR= {1976},  
  PAGES= {5631-5640},  
  ABSTRACT= {Catalytic efficiency constant  $k_{cat}/K_m$   
    defined },  
  DOI= {10.1021/bi00670a032},  
  LANGUAGE= {engl}  
}
```

Similar for books, chapters, reports, thesis etc. In the text use `\cite{Alb-76}`. After first \LaTeX -run start **bibtex** to create the bibliography.

Beamer-slides

```
\begin{frame}  
  \frametitle{  
    ...  
  }  
\end{frame}
```

The \LaTeX document preparation system

Dr Engelbert
Buxbaum

Introduction

Structure of a \LaTeX document

Basic commands

Structuring text

Maths

Changing the layout

Specialties

The index

List of acronyms

Bibliography

Slide presentations

TeX-ing

The departmental
handout

Always use the sequence:

\LaTeX produces the necessary intermediate files

`makeindex` sort the index

`bibtex` create the bibliography

\LaTeX include bibliography and index, resolve cross-references

\LaTeX resolve remaining cross-references

Note: using `pdf \LaTeX` instead of \LaTeX produces pdf-files directly.

Packets used in dept. handout

makeidx	index generation
natbib	clean handling of bibliography
siunitx	$\backslash SI{}{}{} , \backslash num{} , \backslash ang{}$
acronym	administration of acronyms
isotope	$\backslash isotope[13]{C} = {}^{13}C$
graphicx	inclusion of diagrams
color	colored text
amsmath	math fonts and characters
eufrak	font for arrays + vectors
textcomp	special characters
wasysym,marvosym,	special symbols like σ , ρ
chemarrow	various types of arrows for equations
upgreek	$\backslash upalpha = \alpha$ instead of α
thumb	chapter thumbs
isodate	standard conform typesetting of dates
hyperref	use of cross-referencing facilities of pdf

Getting consistent output

- ▶ `\chemical{CH_2\double CH\single OH}` = $\text{CH}_2=\text{CH}-\text{OH}$
- ▶ `\ph` = pH, similar for `\pkw`, `\pka`, `\poh`, `\pl`
- ▶ `\Name{Maude Leonora Menten}` = Maude Leonora Menten
- ▶ `\skalar{x}` = x , similar for `\array`, `\vektor`, `\set`.
Note the list of variables used in the appendix.
- ▶ `\SI{1}{cm}` = 1 cm, `\num{10000}` = 10 000,
`\ang{1;2;3}` = $1^\circ 2' 3''$.